LL300N

Applications

General elevation control Checking and setting elevations for small to medium job sites Leveling forms and footers Estimating cut and fills **Excavations** Basic slopes for driveways and ramps







The automatic, self-leveling Spectra Precision® LL300N Laser Level is the most rugged laser level available, tough enough to handle a wide variety of general and concrete construction applications. Even in harsh jobsite conditions, the LL300N delivers consistently reliable and accurate performance, enabling you to work faster and smarter.

The rugged LL300N laser can withstand drops of up to three feet (one meter) onto concrete and tripod tipovers up to five feet (1.5 meters). This strength, combined with full weatherproofing and dustproofing, reduces downtime and lowers repair costs over the life of the product.

The LL300N laser's self-leveling capability and optional RC601 remote control result in outstanding accuracy and ease of use. Since the LL300N laser levels itself when turned on, setup is easy with fewer controls to deal with. The RC601 remote control gives you the option of matching slopes or having slopes-ongrade. It also offers single-axis slope including HI warning control with the other axis continuing to level itself.





Automatic self-leveling Accuracy 3/32 inch @ 100 ft (2.2mm @ 30 m) Working range of 1,650 ft (500 m) diameter Simple one-button operation for quick start up Height of Instrument Alert - unit stops rotating when jarred to avoid erroneous readings

Single axis manual slope mode (with RC601 Remote Control) Complete kit available and fits in one case with tripod and grade rod Extremely durable and portable 5 Year warranty

User Benefits



Complete leveling crew in a case - carrying case securely holds all components, tripod and grade rod Easy to transport, easy to carry, easy to store

Energy-efficient design offers long battery life

Highly durable construction enables the LL300N to survive a drop up to 3 feet (1 m) onto concrete Remote control slope option increases flexibility of applications

The Toughest Laser Level You'll Ever Own

LL300N Laser Specifications

Laser Source: 650 nm, Class 2, <3,4mW

Laser Accuracy: ±3/32 in at 100 ft (±2.2 mm at 30 m)

Operating Range: 1,650 ft (500 m) diameter

Self-leveling Range: ±5 degrees

Compensation Method: Electronic self-leveling Drop Height on Concrete Performance: 3 ft (1 m)

Single Axis Manual Slope Mode: Yes (w/self-leveling mode on the second axis), with optional RC601 remote control

Out-of-level Warning: Rotor stops, red out-of-level HI-LED flashes

Power Source: 4 x D-cell NiMH or alkaline batteries Battery Life: Rechargeable - 45 hours, Alkaline - 90 hours

Battery Status LED: Flashing red LED

Rotation Speed: 600 RPM

Tripod Mount (Horizontal and Vertical): 5/8" x 11

Operating Temperature: -4 °F to 122 °F (-20 °C to 50 °C) Storage Temperature: -4 °F to 158 °F (-20 °C to 70 °C)

Water Resistant: Yes, IP66

Size: $10.7L \times 7.7W \times 7.9H$ in $(27.2L \times 19.7W \times 20.1H$ cm)

Weight: 5.9 lbs (2,7 kg) Warranty: 5 Years

HL450 Receiver Specifications

Digital Readout Units: mm, ft, in, frac Reception Height: 4 inches (102 mm)

Three On-grade Sensitivities:


- Fine ~1/16 in (1 mm)
- Medium ~1/4 in (5 mm)
- Calibration Mode ~1/64 in (0.1 mm)

Battery Life (2 x AA): 70+ hrs Automatic Shutoff: 30 minutes

Operating Temp.: -4°F to 122°F (-20°C to 50°C)

Dust & Waterproof: Yes IP67

Weight without Clamp: 13.1 oz (0.371 kg) Warranty: 3 Years, 2 Years "No Excuses"



Spectra LL300N c/w £450.00 ea. HR320 Std Receiver

Remote - £75.00 extra

Tripod & Staff - £60.00 extra



LL300N features a strong metal sunshade



Optional RC601 Remote Control allows easy slope matching



HL450 Receiver and C45 rod clamp included (Other configurations are also available.)

Standard case with laser and receiver only also available.



Complete system carrying case includes tripod and your choice of grade rod.



Contact Information:

Cal Services Uk Ltd Rear of 44 George Street Weston super Mare BS23 3AT

www.cal-services.net

Tel: 01934 424467

sales@cal-services.net

EUROPE

Trimble Kaiserslautern GmbH Am Sportplatz 5 • 67661 Kaiserslautern • Germany Phone +49-6301-711414 • Fax +49-6301-32213



© 2014, Trimble Navigation Limited. All rights reserved. Trimble, the Globe & Triangle logo and Spectra Precision are trademarks of Trimble Navigation Limited, registered in the United States Patent and Trademark office and in other countries. All other trademarks are the property of their respective owners.